

INDEX.

	Page		Page
<i>Ablabes bistrigatus</i> , Günther	42, 49	<i>Aphæna scriptifacies</i> , Walk.	97
— <i>sagittarius</i> , Cantor	43	— <i>scutellaris</i> , White	96
— <i>scriptus</i> , Blyth	42	— <i>Thetis</i> , Stål	97
<i>Acanthosaura armata</i> , Gray	34	<i>Araneidea</i> , Rev. O. P. Cambridge's	
— <i>capra</i> , Günther	34	descriptions and sketches of two	
<i>Acarna conviva</i> , Stål	100	new species of	398
— <i>notaticollis</i> , Stål	100	— lately received from Mr. J.	
— <i>orba</i> , Stål	100	Nictner, &c. Rev. O. P. Cam-	
— <i>pupillata</i> , Stål	100	bridge. Part I. of a catalogue of	
— <i>rostrifera</i> , Stål	100	a collection of Ceylon	373
— <i>subapicalis</i> , Stål	101	<i>Argyrodes fissifrons</i> , Camb.	380
— <i>ustulata</i> , Stål	100	<i>Aristenia conspurcata</i> , Sav.	243
<i>Acrilla adipata</i> , Stål	95	<i>Astraptorillumator</i> , Andrew Mur-	
<i>Agametis</i> , Pasc.	473	rray on an undescribed light-giving	
— <i>festiva</i> , Pasc.	474	Coleopterous larva provisionally	
<i>Agnesioides</i> , Pasc.	474	named	74
— <i>pilosula</i> , Pasc.	474	— —, Roland Trimen on the	
<i>Alcides asphaltinus</i> , Pasc.	461	occurrence of, or a closely allied	
— <i>delta</i> , Pasc.	460	insect, near Buenos Ayres	503
— <i>discedens</i> , Pasc.	461	<i>Atonistes denticollis</i> , Pasc.	465
— <i>ligatus</i> , Pasc.	461	— <i>longirostris</i> , Pasc.	464
— <i>magicus</i> , Pasc.	460	<i>Atmesia</i> , Pasc.	468
— <i>Saundersii</i> , Pasc.	459	— <i>marginata</i> , Pasc.	469
— <i>Semperi</i> , Pasc.	462	<i>Atretium schistosum</i> , Daud.	50
— <i>trifidus</i> , Pasc.	460	<i>Aufidus</i> , Stål	289
<i>Amphinomacea</i> , &c. Dr. W. Baird's		— <i>alboater</i> , Walk.	292
contributions towards a Mono-		— <i>bipars</i> , Walk.	290
graph of the species of Annelides		— <i>crassivena</i> , Walk.	291
belonging to the	215	— <i>hilaris</i> , Walk.	291
<i>Amphinome</i> , Bruquière	216	— <i>partitus</i> , Walk.	290
— <i>carnea</i> , Grube et Oerst.	219	— <i>tricolor</i> , Walk.	291
— <i>Jukesii</i> , Baird	218	— <i>trifasciatus</i> , Stål	290
— <i>Luzonia</i> , Kinb.	218	— <i>tripars</i> , Walk.	290
— <i>Pallasii</i> , Quatref.	218	<i>Axionicus</i> , Pasc.	455
— <i>rostrata</i> , Pallas	217	— <i>insignis</i> , Pasc.	455
— <i>vagans</i> , Leach	218	<i>Baird</i> , Dr. W. Contributions to-	
<i>Andrews</i> , W., on <i>Ziphius</i> Sower-		wards a Monograph of the spe-	
<i>biensis</i>	67	cies of Annelides belonging to the	
<i>Aolles</i> , Pasc.	450	<i>Amphinomacea</i> , &c.	215
— <i>nucceus</i> , Pasc.	451	— . Remarks on several genera	
— <i>rubiginosus</i> , Pasc.	451	of Annelides belonging to the	
<i>Aonychus lineatus</i> , Pasc.	443	group <i>Eunicea</i> , &c.	341
<i>Aphæna atomaria</i> , Burm.	96	<i>Bardunia nasuta</i> , Stål	133
— <i>basigera</i> , Walk.	97	<i>Batagar aslinis</i> , Cantor	16
— <i>discolor</i> , Guér.	96	— <i>Berdmorei</i> , Blyth	16
— <i>Neera</i> , Walk.	98		

	Page		Page
Batagur lineata, <i>Gray</i>	16	Bythoscopus diaphanus, <i>Walk.</i>	321
— trivittata, <i>D. et B.</i>	14	— dimidiatus, <i>Walk.</i>	319
Beaver, on the natural history and hunting of the, by A. H. Green, with notes by R. Brown	361	— ferrugineus, <i>Walk.</i>	316
Belus linearis, <i>Pasc.</i>	475	— flavibasis, <i>Walk.</i>	320
— plagiatus, <i>Pasc.</i>	475	— impressus, <i>Walk.</i>	322
— serpens, <i>Pasc.</i>	475	— luteatus, <i>Walk.</i>	319
Bhawania, <i>Schmarda</i>	246	— politus, <i>Walk.</i>	320
— myrialepis, <i>Schmarda</i>	246	— polygrammus, <i>Walk.</i>	317
Bidis liturifrons, <i>Walk.</i>	119	— scabrifrons, <i>Walk.</i>	321
— privata, <i>Walk.</i>	120	— semivenosus, <i>Walk.</i>	322
Birdantis decens, <i>Stål</i>	100	— unicolor, <i>Walk.</i>	320
Blackwall, John. A list of spiders captured by Prof. E. P. Wright in the province of Lucca in Tuscany	405	Cæcidæ, Observations on the septum of the, &c., by the Marquis Léopold de Folin	254
Bodecia, <i>Walk.</i>	117	Cæcum auriculatum,	261
— varipes, <i>Walk.</i>	117	— bimamillatum,	261
Brochina, remarks on the genus	258	— carmenense,	261
Brown, R. Supplementary notes on the Natural History &c. of the Beaver	361	— circumvolutum,	262
Brixia atratula, <i>Walk.</i>	107	— Cuccina,	262
— bicolor, <i>Walk.</i>	109	— decussatum, <i>Folin</i>	258
— concinnula, <i>Walk.</i>	110	— formulosum, <i>Folin</i>	258
— congrua, <i>Walk.</i>	110	— infimium,	260
— guttata, <i>Walk.</i>	110	— orientale,	261
— humeralis, <i>Walk.</i>	114	— strigosum,	261
— interjecta, <i>Walk.</i>	114	— torquatum,	262
— marginata, <i>Walk.</i>	107	— Veracruzianum,	262
— nanula, <i>Walk.</i>	112	— vestitum,	262
— nivea, <i>Walk.</i>	112	Calamaria siamensis, <i>Günther</i>	39, 49
— opaca, <i>Walk.</i>	111	Calotes Emma, <i>Gray</i>	33
— palliceps, <i>Walk.</i>	106	— mystaceus, <i>D. et B.</i>	33
— parviceps, <i>Walk.</i>	113	— versicolor, <i>Daud.</i>	33
— pictipennis, <i>Walk.</i>	113	Cambridge, Rev. O. P. Descriptions of a new genus and six new spe- cies of spiders	264
— puncticosta, <i>Walk.</i>	109	— Part I. of a catalogue of a collection of Ceylon Araneidea lately received from Mr. J. Niet- ner, &c.	373
— rufula, <i>Walk.</i>	106	— Descriptions and sketches of two new species of Araneidea, with characters of a new genus	398
— sublucida, <i>Walk.</i>	107	Carsidara, <i>Walk.</i>	329
— subpunctata, <i>Walk.</i>	112	— marginalis, <i>Walk.</i>	329
— tenebrosa, <i>Walk.</i>	106	Castor canadensis, A. H. Green & R. Brown on the natural history and hunting of the beaver	361
— terminalis, <i>Walk.</i>	111	Catara subdivisa, <i>Walk.</i>	115
— testacea, <i>Walk.</i>	115	Centrotus albidus, <i>Walk.</i>	188
— varia, <i>Walk.</i>	108	— albigutta, <i>Walk.</i>	184
— variegata, <i>Walk.</i>	108	— albilatus, <i>Walk.</i>	184
Bryachus, <i>Pasc.</i>	479	— alticeps, <i>Walk.</i>	183
— squamicollis, <i>Pasc.</i>	479	— biplaga, <i>Walk.</i>	191
Bungarus cœruleus, <i>Sehn.</i>	62	— brevivitta, <i>Walk.</i>	185
— fasciatus, <i>Sehn.</i>	62	— congestus, <i>Walk.</i>	187
— flaviceps, <i>Reinhardt</i>	63	— constipatus, <i>Walk.</i>	192
Bythoscopus æqualis, <i>Walk.</i>	318	— conterminus, <i>Walk.</i>	190
— antecedens, <i>Walk.</i>	316	— contractus, <i>Walk.</i>	188
— badius, <i>Walk.</i>	321	— curtulus, <i>Walk.</i>	190
— basivitta, <i>Walk.</i>	318		
— bimarginatus, <i>Walk.</i>	318		
— bistriga, <i>Walk.</i>	317		
— colligatus, <i>Walk.</i>	319		
— concolor, <i>Walk.</i>	317		
— cupreipennis, <i>Walk.</i>	321		

	Page		Page
<i>Centrotus densus, Walk.</i>	189	<i>Chersydrus granulatus, Schn.</i>	59
— <i>femoratus, Walk.</i>	186	<i>Chirozetes, Pasc.</i>	447
— <i>ferrugineus, Walk.</i>	187	— <i>pectorosus, Pasc.</i>	447
— <i>forticornis, Walk.</i>	185	<i>Chlocia, Sav.</i>	229
— <i>gibbosulus, Walk.</i>	187	— <i>candida, Kimb.</i>	231
— <i>impessus, Walk.</i>	192	— <i>egena, Grube</i>	231
— <i>minusculus, Walk.</i>	191	— <i>flava, Pallas</i>	230
— <i>nubifascia, Walk.</i>	191	— <i>fucata, Quatref.</i>	232
— <i>pallipes, Walk.</i>	185	— <i>furcigera, Quatref.</i>	231
— <i>piceus, Walk.</i>	187	— <i>inermis, Quatref.</i>	231
— <i>reductus, Walk.</i>	190	— <i>nuda, Quatref.</i>	232
— <i>reponens, Walk.</i>	183	— <i>parva, Baird.</i>	233
— <i>retractus, Walk.</i>	190	— <i>pulchella, Baird</i>	234
— <i>semilucidus, Walk.</i>	186	— <i>Quatrefagesii, Baird</i>	231
— <i>strigatus, Walk.</i>	184	— <i>spectabilis, Baird</i>	234
— <i>subflavipes, Walk.</i>	189	— <i>tumida, Baird</i>	232
— <i>tibialis, Walk.</i>	188	— <i>venusta, Quatref.</i>	232
— <i>venosus, Walk.</i>	189	— <i>viridis, Schmarda</i>	232
<i>Cephaloxys fulva, Walk.</i>	94	<i>Chrysopleca ornata, Shaw</i>	51
<i>Cerberus rhynchops, Schn.</i>	57	<i>Chrysopetalum, Ehlers</i>	244
<i>Cercopis angulifera, Walk.</i>	286	— <i>debile, Grube</i>	244
— <i>basistriga, Walk.</i>	280	— <i>fragile, Ehlers</i>	244
— <i>biangulata, Walk.</i>	280	<i>Cicada exhausta, Guér.</i>	92
— <i>brevistriga, Walk.</i>	282	— <i>innotabilis, Walk.</i>	93
— <i>conciisa, Walk.</i>	286	— <i>parallela, Walk.</i>	94
— <i>convexa, Walk.</i>	278	— <i>quadrifida, Walk.</i>	93
— <i>decisa, Walk.</i>	278	— <i>stigma, Walk.</i>	93
— <i>divisa, Walk.</i>	279	— <i>subnotata, Walk.</i>	93
— <i>dorsalis, Walk.</i>	283	<i>Cixius caliginosus, Walk.</i>	105
— <i>flexifascia, Walk.</i>	286	— <i>ferrugineus, Walk.</i>	104
— <i>impressa, Walk.</i>	281	— <i>inficitus, Walk.</i>	103
— <i>inexacta, Walk.</i>	280	— <i>luridus, Walk.</i>	104
— <i>intermedia, Walk.</i>	277	— <i>perturbatus, Walk.</i>	103
— <i>lacerata, Walk.</i>	287	— <i>reductus, Walk.</i>	105
— <i>lateralis, Walk.</i>	285	— <i>signifer, Walk.</i>	104
— <i>laticincta, Walk.</i>	285	<i>Cœlidia albipes, Walk.</i>	312
— <i>liturata, Walk.</i>	287	— <i>aurulenta, Walk.</i>	316
— <i>maculifascia, Walk.</i>	279	— <i>canifascia, Walk.</i>	311
— <i>nasalis, Walk.</i>	283	— <i>diversa, Walk.</i>	309
— <i>nexa, Walk.</i>	281	— <i>dorsinacula, Walk.</i>	314
— <i>obtusa, Walk.</i>	287	— <i>guttata, Walk.</i>	313
— <i>plana, Walk.</i>	276	— <i>inscripta, Walk.</i>	311
— <i>punctifascia, Walk.</i>	288	— <i>leucomelana, Walk.</i>	313
— <i>rubrifera, Walk.</i>	283	— <i>luteifascia, Walk.</i>	311
— <i>rufimargo, Walk.</i>	277	— <i>maculiceps, Walk.</i>	315
— <i>semicineta, Walk.</i>	285	— <i>marginifrons, Walk.</i>	310
— <i>semilurida, Walk.</i>	282	— <i>picca, Walk.</i>	309
— <i>sequens, Walk.</i>	285	— <i>roseifascia, Walk.</i>	315
— <i>spectabilis, Burm.</i>	276	— <i>rufivena, Walk.</i>	312
— <i>subapicalis, Walk.</i>	287	— <i>selecta, Walk.</i>	315
— <i>sulcata, Walk.</i>	281	— <i>sexguttata, Walk.</i>	314
— <i>tetragona, Walk.</i>	284	— <i>subapicalis, Walk.</i>	312
— <i>tetraspila, Walk.</i>	277	— <i>subnotata, Walk.</i>	309
— <i>tomentosa, Walk.</i>	284	— <i>terminalis, Walk.</i>	314
— <i>undulifera, Walk.</i>	276	— <i>testacea, Walk.</i>	315
— <i>unifascia, Walk.</i>	278	— <i>unifasciata, Walk.</i>	313
— <i>varia, Walk.</i>	284	— <i>verticalis, Walk.</i>	310
— <i>viridans, Guér.</i>	279	<i>Colobesthes falcata, Amyot et Serv.</i>	180
<i>Cheiracanthium incertum, Camb.</i>	375	— <i>hastifera, Walk.</i>	180

	Page		Page
Colobesthes rectilinea, <i>Walk.</i>	180	Dolichognatha, <i>Camb.</i>	387
Coluber Nuthalli, <i>Theobald</i>	44	— Nietneri, <i>Camb.</i>	388
Composoma melanurum, <i>Schl.</i>	46	Dolomedes ornatus, <i>Bl.</i>	407
— radiatum, <i>Reinw.</i>	45	Doryura Berdmorei, <i>Blyth</i>	29
Conognatha, descriptions of ten new species of the genus, by Edward Saunders	331	— guadama, <i>Theobald</i>	30
Conognatha Batesii, <i>E. Saund.</i>	337	— Karenorum, <i>Theobald</i>	30
— brevicollis, <i>E. Saund.</i>	337	Draco maculatus, <i>Gray</i>	33
— eximia, <i>E. Saund.</i>	337	— tæniopterus, <i>Günther</i>	33
— Fryi, <i>E. Saund.</i>	338	Drassus decorus, <i>Bl.</i>	421
— minor, <i>E. Saund.</i>	338	Dundubia bicaudata, <i>Walk.</i>	84
— olivacea, <i>E. Saund.</i>	336	— fuliginosa, <i>Walk.</i>	84
— parallela, <i>E. Saund.</i>	340	— impar, <i>Walk.</i>	86
— posticalis, <i>E. Saund.</i>	339	— imperatoria	84
— rufipes, <i>E. Saund.</i>	340	— junctivitta, <i>Walk.</i>	89
— subdilatata, <i>E. Saund.</i>	339	— lata, <i>Walk.</i>	87
Corethrura funebris, <i>Stål</i>	133	— latilinea, <i>Walk.</i>	85
Couchia Edwardii, Thos. Edward, A few additional particulars re- garding	1	— linearis, <i>Walk.</i>	84
Crocodilus palustris, <i>Less.</i>	20	— nebulilinea, <i>Walk.</i>	84
— porosus, <i>Schn.</i>	21	— picta, <i>Walk.</i>	90
Cromna centralis, <i>Walk.</i>	182	— recedens, <i>Walk.</i>	85
— quadripunctata, <i>Walk.</i>	182	— significata, <i>Walk.</i>	91
Ctenaphides, <i>Pasc.</i>	476	— subapicalis, <i>Walk.</i>	87
— porcellus, <i>Pasc.</i>	477	— vaginata, <i>Amyot et Serv.</i>	84
Cuora Amboinensis, <i>Daud.</i>	11	— vibrans, <i>Walk.</i>	84
Curculionidæ, F. P. Pascoe, contri- butions towards a knowledge of the	434	Dysostines, <i>Pasc.</i>	472
Cyclemys, <i>Bell</i>	12	— valgus, <i>Pasc.</i>	473
— orbiculata, <i>Bell</i>	12	Edward, Thos. A few additional particulars regarding Couchia Edwardii	1
Cylindrophis rufus, <i>Laur.</i>	39	Elaps maculiceps, <i>Günth.</i>	62
Cyrene telifera, <i>Walk.</i>	99	Elytrurus caudatus, <i>Pasc.</i>	471
Cyrotypilus, <i>Pasc.</i>	445	Emyda granosa, <i>Schöpf.</i>	18
— fascicularis, <i>Pasc.</i>	445	Emys crassicollis, <i>Bell</i>	14
Daboia elegans, <i>Daud.</i>	64	— trijuga, <i>Schw.</i>	13
Delphax longicornis, <i>Walk.</i>	120	Epeira amœna, <i>Bl.</i>	432
— media, <i>Walk.</i>	121	Eriodon, <i>Latr.</i>	266
Demimæa, <i>Pasc.</i>	441	— crassum, <i>Camb.</i>	269
— luctuosa, <i>Pasc.</i>	441	— formidabile, <i>Camb.</i>	267
Dendrophis pictus, <i>Gmel.</i>	52	— granulosum, <i>Camb.</i>	268
Diaphna, <i>Pasc.</i>	445	Erodiscus analis, <i>Pasc.</i>	465
— auritipennis, <i>Pasc.</i>	446	Errada funesta, <i>Walk.</i>	117
— signata, <i>Pasc.</i>	446	Esmelina, <i>Pasc.</i>	484
Dietyophora cribrata, <i>Walk.</i>	102	— flavovittata, <i>Pasc.</i>	484
— nigrifinis, <i>Walk.</i>	102	Essolithna, <i>Pasc.</i>	457
— surgens, <i>Walk.</i>	101	— pluviata, <i>Pasc.</i>	458
Didymobranchus, <i>Schmarda</i>	241	— rhombus, <i>Pasc.</i>	458
— cryptocephalus, <i>Schm.</i>	241	Eumeces Bowringi, <i>Günther</i>	26
— microcephalus, <i>Schm.</i>	241	Eunice	342
Dilophyrus grandis, <i>Gray</i>	33	— annulicornis, <i>Johnston</i>	346
Diopatra, <i>Audouin et M.-E.</i>	354	— antarctica, <i>Baird</i>	348
— Amboinensis, <i>Audouin et M.-E.</i> —	355	— antennata, <i>Sav.</i>	316
Dipsas multinaculata	53	— Aphroditois, <i>Pallas</i>	343
— ochracea, <i>Theobald</i>	53	— Bowerbanki, <i>Baird</i>	349
		— Elsyi, <i>Baird</i>	344
		— Fijiensis, <i>Baird.</i>	347
		— Guildingi, <i>Baird</i>	351
		— guttata, <i>Baird</i>	350
		— Harassii, <i>Audouin et M.-E.</i>	346

	Page		Page
Hemiphræius nigrolineatus, <i>Walk.</i>	130	Iassus lituriceps, <i>Walk.</i>	323
— plagiatus, <i>Walk.</i>	131	— lucidicosta, <i>Walk.</i>	323
— pulcherrimus, <i>Stål</i>	130	— nitidulus, <i>Walk.</i>	322
— signatus, <i>Stål</i>	129	— puncticosta, <i>Walk.</i>	324
— submarginalis, <i>Walk.</i>	132	Imalithus, <i>Pasc.</i>	465
— tæniatus, <i>Stål</i>	129	— patella, <i>Pasc.</i>	466
— tristis, <i>Stål</i>	130	Interamma, <i>Walk.</i>	118
— viduus, <i>Stål</i>	130	— angusta, <i>Walk.</i>	118
— villicus, <i>Stål</i>	130	— ascendens, <i>Walk.</i>	118
— viridis, <i>Walk.</i>	133	— delicata, <i>Walk.</i>	118
— vittiger, <i>Stål</i>	129	— subvaria, <i>Walk.</i>	119
Hermodice, <i>Kimb.</i>	219	Interocrea, <i>Walk.</i>	328
— carunculata, <i>Pallas.</i>	219	— nigripes, <i>Walk.</i>	328
— didymobranchiata, <i>Baird.</i>	221	Iphisaxus, <i>Pasc.</i>	469
— nigrolineata, <i>Baird</i>	220	— asper, <i>Pasc.</i>	470
— sanguinea, <i>Schmarda</i>	221	Issus bifascia, <i>Walk.</i>	123
— Savignyi, <i>Brullé</i>	221	— biplaga, <i>Walk.</i>	122
— striata, <i>Kimb.</i>	220	— dimidiatus, <i>Walk.</i>	123
Hiimulia maculata, <i>Blyth</i>	26	— herbidus, <i>Walk.</i>	121
Hipistes hydrinus, <i>Cantor</i>	58	— piccus, <i>Walk.</i>	123
Hipponoë, <i>Audouin et M.-E.</i>	238	Kirby, W. F. On the necessity of a reform in the generic nomencla- ture of Diurnal Lepidoptera, &c.	494
— Cranchii, <i>Baird</i>	240	Læmosaceus brevipennis, <i>Pasc.</i>	439
— Gaudichaudi, <i>Audo. et M.-E.</i>	239	— synopticus, <i>Pasc.</i>	440
Homalopsis buccata, <i>L.</i>	58	— tantulus, <i>Pasc.</i>	439
Homopterous insects, Catalogue of the, collected in the Indian Ar- chipelago by A. R. Wallace, with descriptions of new species by F. Walker	82, 276	Leiolepis Reevesii, <i>Gray</i>	34
Hotinus pyrorhynchus, <i>Donov.</i>	96	Leptocerus (?) alienus, <i>M.L.</i>	202
Huechys cuprea, <i>Walk.</i>	95	Leptops acerbus, <i>Pasc.</i>	453
— sanguinea	95	— colossus, <i>Pasc.</i>	451
Hyalinœcia, <i>Malmgren</i>	356	— dorsatus, <i>Pasc.</i>	453
— bilineata, <i>Baird</i>	358	— Duboulayi, <i>Pasc.</i>	452
— tubicola, <i>Müller</i>	357	— cbeninus, <i>Pasc.</i>	454
— varians, <i>Baird</i>	359	— polycantlius, <i>Pasc.</i>	453
Hydrobiosis, <i>M.L.</i>	206	— retusus, <i>Pasc.</i>	452
— frater, <i>M.L.</i>	207	— superciliaris, <i>Pasc.</i>	452
— umbripennis, <i>M.L.</i>	208	Linopherus, <i>Quatref.</i>	227
Hydrosaurus salvator, <i>Laur.</i>	23	— incarunculatus, <i>Peters.</i>	227
Hypsanchonia Hardwickii, <i>Kirby</i>	183	Linyphia punctata, <i>Bl.</i>	429
Hypsirhina cnhydris, <i>Schn.</i>	57	Lirione, <i>Kimb.</i>	226
— plumbea, <i>Boie</i>	57	— maculata, <i>Kimb.</i>	226
Hysteropterum informe, <i>Walk.</i>	127	— Rayneri, <i>Baird</i>	226
— invarium, <i>Walk.</i>	128	— splendens, <i>Kimb.</i>	226
— læve, <i>Walk.</i>	125	Lophonota, <i>Costa</i>	241
— minax, <i>Walk.</i>	127	— Audouinii, <i>Costa</i>	241
— morosum, <i>Walk.</i>	125	Lubbock, Sir John. Note on the discovery of Planaria terrestris in England	193
— nanulum, <i>Walk.</i>	126	Lycaretus, <i>Kimb.</i>	225
— sodale, <i>Walk.</i>	124	— neocephalicus, <i>Kimb.</i>	226
— spissum, <i>Walk.</i>	126	Lycodon aulicus, <i>Boie</i>	37
— tumidulum, <i>Walk.</i>	125	Lycosa famelica, <i>Koch.</i>	405
— vittatum, <i>Walk.</i>	128	Lysizone, <i>Pasc.</i>	485
Iassus ? angulifer, <i>Walk.</i>	325	— alternata, <i>Pasc.</i>	486
— coriaceus, <i>Walk.</i>	324	M'Intosh, Dr. W. C. Note on the Development of lost parts in the Nemerteans	251
— costalis, <i>Walk.</i>	323		
— laticeps, <i>Walk.</i>	323		
— latifrons, <i>Walk.</i>	324		

	Page		Page
M'Lachlan, R. On some new forms of Trichopteroan Insects from New Zealand, with a list of the species known to inhabit those colonies	196	Nisitra varipes, <i>Walk.</i>	328
Manouria emys, <i>M. et Schl.</i>	10	Nogodina alligata, <i>Walk.</i>	170
Marphysa, <i>Quatref.</i>	351	— concolor, <i>Walk.</i>	166
— Parishii, <i>Baird</i>	352	— decisa, <i>Walk.</i>	168
— sanguinea, <i>Montagu</i>	352	— guttifrons, <i>Walk.</i>	164
Mecynoderes consularis, <i>Pasc.</i>	482	— invaria, <i>Walk.</i>	166
Medicasta, <i>Pasc.</i>	441	— plena, <i>Walk.</i>	168
— leuceura, <i>Pasc.</i>	442	— signatifrons, <i>Walk.</i>	164
Motatyges cupreus, <i>Pasc.</i>	443	— strictifascia, <i>Walk.</i>	165
Motrioxena, <i>Pasc.</i>	442	— subguttata, <i>Walk.</i>	165
— serricollis, <i>Pasc.</i>	443	— sublineata, <i>Walk.</i>	167
Miagrammopes, <i>Camb.</i>	490	— venosa, <i>Walk.</i>	169
— Ferdinandii, <i>Camb.</i>	404	Nomenclature of Diurnal Lepidoptera, &c., W. F. Kirby on the necessity of a reform in the generic	494
— Thwaitesii, <i>Camb.</i>	401	Norsia, <i>Walk.</i>	326
Mogannia scsioides, <i>Walk.</i>	95	— flavidorsum, <i>Walk.</i>	326
Moloch horridus, C. A. Wilson, Notes on	69	— fulvescens, <i>Walk.</i>	326
Monophlebus atripennis, <i>Burm.</i>	330	Nothria, <i>Johnston</i>	356
Murray, Andrew. On an undescribed light-giving Coleopterous larva (provisionally named <i>Astraptor illuminator</i>)	74	— conchylega, <i>Sars.</i>	356
Mygale radialis, <i>Camb.</i>	373	Notopygos, <i>Grube</i>	228
Naja tripudians, <i>Merr.</i>	61	— crinitus, <i>Grube</i>	228
Narnia, <i>Walk.</i>	193	— ornatus, <i>Grube</i>	228
— rastrata, <i>Walk.</i>	193	Nyxetes, <i>Pasc.</i>	456
Naultinus variegatus, <i>Blyth</i>	32	— bidens, <i>Fab.</i>	456
Nemertean, Dr. W. C. McIntosh, Note on the development of lost parts in the	251	Ochrometa, <i>Pasc.</i>	449
Nephesa albescens, <i>Walk.</i>	177	— amœna, <i>Pasc.</i>	450
— amata, <i>Walk.</i>	175	Onassus, <i>Pasc.</i>	470
— amœna, <i>Walk.</i>	172	— sellifer, <i>Pasc.</i>	471
— antica, <i>Walk.</i>	178	Olinx, <i>M'L.</i>	196
— bistrigulata, <i>Stål</i>	171	— Feredayi, <i>M'L.</i>	198
— chlorospila, <i>Walk.</i>	173	Onesorus, <i>Pasc.</i>	483
— conficita, <i>Walk.</i>	172	— candidus, <i>Pasc.</i>	484
— consociata, <i>Walk.</i>	171	— maculosus, <i>Pasc.</i>	483
— decolor, <i>Walk.</i>	176	— obesus, <i>Pasc.</i>	483
— crubescens, <i>Walk.</i>	171	— tigrinus, <i>Pasc.</i>	483
— guttulata, <i>Stål</i>	171	Orichora, <i>Pasc.</i>	486
— intacta, <i>Walk.</i>	171	— trivirgata, <i>Pasc.</i>	486
— invasa, <i>Walk.</i>	178	Orphanistes, <i>Pasc.</i>	454
— lineola, <i>Walk.</i>	175	— eustictus, <i>Pasc.</i>	454
— marginalis, <i>Walk.</i>	175	Oxyops arciferus, <i>Pasc.</i>	481
— monoleuca, <i>Walk.</i>	177	— aretatus, <i>Pasc.</i>	482
— nivosa, <i>Walk.</i>	178	— aulicus, <i>Pasc.</i>	479
— obtusa, <i>Walk.</i>	177	— bilunaris, <i>Pasc.</i>	480
— roscosparsa, <i>Walk.</i>	174	— concretus, <i>Pasc.</i>	479
— rufilinea, <i>Walk.</i>	174	— crassirostris, <i>Pasc.</i>	480
— spargula, <i>Walk.</i>	173	— gemellus, <i>Pasc.</i>	481
— subjecta, <i>Walk.</i>	176	— irrasus, <i>Pasc.</i>	480
Nisitra, <i>Walk.</i>	327	— marginalis, <i>Pasc.</i>	481
— celifera, <i>Walk.</i>	328	— vitiosus, <i>Pasc.</i>	481
		Oxypleura canescens, <i>Walk.</i>	83
		Paleonotus, <i>Schmarda</i>	244
		— chrysolepis, <i>Schmarda</i>	245
		Palmyra, <i>Sav.</i>	245
		— aurifera, <i>Sav.</i>	245
		— elongata, <i>Grube et Erst.</i>	245

	Page	Page	
Pantoreites, <i>Pasc.</i>	462	Phronima prunifera, <i>Walk.</i>	181
— scenicus, <i>Pasc.</i>	463	Planaria terrestris in England, Sir	
— virgatus, <i>Pasc.</i>	463	John Lubbock, Note on the dis-	
Paracupta, descriptions of ten new		covery of	193
species of the genus, by E.		Platypleura catocaloides, <i>Walk.</i>	83
Saunders	331	Platysternum mcgacephalum, <i>Gray</i>	17
Paracupta æneicollis, <i>E. Saund.</i>	336	Platytenes, <i>Pasc.</i>	466
— aurofoveata, <i>E. Saund.</i>	334	— varius, <i>Pasc.</i>	467
— flavofoveata, <i>E. Saund.</i>	335	Platytrachelus chloris, <i>Pasc.</i>	458
— foveicollis, <i>E. Saund.</i>	332	Pochazia contigua, <i>Walk.</i>	163
— Lorquiniæ, <i>H. Deyr.</i>	331	— fumata	163
— mæsta, <i>E. Saund.</i>	335	— inclyta, <i>Walk.</i>	163
— marginipennis, <i>E. Saund.</i>	333	Pœcilopectera circulata, <i>Guér.</i>	182
— sulcata, <i>E. Saund.</i>	332	Polycentropus puerilis, <i>M'L.</i>	204
— suturalis, <i>E. Saund.</i>	334	Polydictya basalis, <i>Guér.</i>	98
— taciturna, <i>H. Deyr.</i>	332	— collaris, <i>Walk.</i>	98
Paræas macularius, <i>Blyth</i>	54	Polyteles decussatus, <i>Pasc.</i>	441
— modestus, <i>Theobald</i>	55	Prasia faticina, <i>Stål</i>	94
Pascoe, F.P. Contributions towards		Protopalus cristatus, <i>Pasc.</i>	448
a knowledge of the Curculionidæ	434	Proxyrus, <i>Pasc.</i>	437
Passerita mycterizans, <i>L.</i>	53	— abstersus, <i>Pasc.</i>	438
Pelochelys Cantori, <i>Gray</i>	19	— lœdiceosus, <i>Pasc.</i>	438
Penthimia atomaria, <i>Walk.</i>	307	Psammodynastes pulverulentus,	
— caliginosa, <i>Walk.</i>	306	<i>Günther</i>	51
— lurida, <i>Walk.</i>	306	Psammophis condanarus, <i>Merr.</i>	43, 49
— raniformis, <i>Walk.</i>	305	Pseudopus gracilis, <i>Gray</i>	24
— retifera, <i>Walk.</i>	306	Psilochorema confusum, <i>M'L.</i>	210
— variolosa, <i>Walk.</i>	305	Ptyas korros, <i>Rein.</i>	46
Perinoia badia, <i>Walk.</i>	299	— mucosa, <i>L.</i>	46
— deflexa, <i>Walk.</i>	295	Ptychozoon homalocephalum,	
— disjuncta, <i>Walk.</i>	295	<i>Creveldt</i>	29
— furcata, <i>Walk.</i>	297	Ptyelus frontalis, <i>Walk.</i>	293
— furcifera, <i>Walk.</i>	297	— impressus, <i>Walk.</i>	291
— fusiformis, <i>Walk.</i>	301	— monostigma, <i>Walk.</i>	293
— indicatrix, <i>Walk.</i>	301	— pectoralis, <i>Walk.</i>	292
— lituriplena, <i>Walk.</i>	296	— plenipennis, <i>Walk.</i>	293
— ornata, <i>Walk.</i>	294	— sexpunctatus, <i>Walk.</i>	293
— placens, <i>Walk.</i>	296	— vicarius, <i>Walk.</i>	292
— plena, <i>Walk.</i>	298	Puellula rubida, <i>Blyth</i>	32
— pustuliceps, <i>Walk.</i>	299	Pycnocentria aureola, <i>M'L.</i>	200
— separata, <i>Walk.</i>	294	— evecta, <i>M'L.</i>	199
— subfurcata, <i>Walk.</i>	298	Pyrops nobilis, <i>Westw.</i>	96
— subjuncta, <i>Walk.</i>	295	Python reticulatus, <i>Schn.</i>	37
— transversa, <i>Walk.</i>	299		
— varipes, <i>Walk.</i>	300	Reptiles of British Birma, Cata-	
Peripia Peroni, <i>D. et B.</i>	29	logue of, with descriptions of	
Petaloccephala bispecularis, <i>Walk.</i>	307	new or little-known species, by	
— declivis, <i>Walk.</i>	308	W. Theobald, jun.	4
— porrigens, <i>Walk.</i>	308	Rhinoplethes, <i>Pasc.</i>	469
— specularia, <i>Walk.</i>	307	— foveatus, <i>Pasc.</i>	469
— subacta, <i>Walk.</i>	308	Rhinotia cruenta, <i>Pasc.</i>	476
Phelsuma andamanense, <i>Blyth.</i>	28	Ricania albipes, <i>Walk.</i>	154
Philagra Douglasi, <i>Stål.</i>	276	— antica, <i>Walk.</i>	162
— Scotti, <i>Stål</i>	276	— aperta, <i>Walk.</i>	156
Phileboceras, Remarks on the genus	258	— atomaria, <i>Walk.</i>	147
Pholcus ceylonicus, <i>Camb.</i>	378	— basigera, <i>Walk.</i>	158
— distinctus, <i>Camb.</i>	380	— bicincta, <i>Walk.</i>	153
Phoroncidia Thwaitesii, <i>Camb.</i>	270	— bimaculata, <i>Walk.</i>	149
Phronima hamifera, <i>Walk.</i>	181	— binotata, <i>Walk.</i>	149

	Page		Page
<i>Ricania caliginosa</i> , <i>Walk.</i>	144	Descriptions of a new genus and six new species of	264
— <i>colligata</i> , <i>Walk.</i>	159	Spiders captured by Professor E. P. Wright in the province of Lucca, in Tuscany, John Blackwall, A list of	405
— <i>concinna</i> , <i>Stål</i>	152	<i>Spinther arcticus</i> , <i>Sars</i>	242
— <i>consentanea</i> , <i>Walk.</i>	161	— <i>miniaceus</i> , <i>Grube</i>	242
— <i>consobrina</i> , <i>Walk.</i>	159	— <i>oniscoides</i> , <i>Johnston</i>	242
— <i>cribrata</i> , <i>Walk.</i>	162	<i>Strebloceras</i> , remarks on the genus	258
— <i>densa</i> , <i>Walk.</i>	151	<i>Syarbis gonipteroides</i> , <i>Pasc.</i>	444
— <i>divisura</i> , <i>Walk.</i>	157	— <i>sciurus</i> , <i>Pasc.</i>	444
— <i>emarginata</i> , <i>Walk.</i>	160	<i>Synthocus adustus</i> , <i>Pasc.</i>	464
— <i>fenestrata</i> , <i>Walk.</i>	146	— <i>nigropictus</i> , <i>Pasc.</i>	463
— <i>furcifera</i> , <i>Walk.</i>	146	<i>Tachydromus sexlineatus</i> , <i>Daud.</i>	24
— <i>humeralis</i> , <i>Walk.</i>	161	<i>Tegenaria civilis</i> , <i>Walck.</i>	376
— <i>impervia</i> , <i>Walk.</i>	151	— <i>torva</i> , <i>Camb.</i>	376
— <i>latipennis</i> , <i>Walk.</i>	160	<i>Telephae</i> , <i>Pasc.</i>	487
— <i>lurida</i> , <i>Walk.</i>	152	— <i>laticollis</i> , <i>Pasc.</i>	487
— <i>nigra</i> , <i>Walk.</i>	150	<i>Testudo elongata</i> , <i>Blyth</i>	6
— <i>oculata</i> , <i>Guér.</i>	152	— <i>platynotus</i> , <i>Blyth</i>	7
— <i>patula</i> , <i>Walk.</i>	150	<i>Tetracentron amabile</i> , <i>M.L.</i>	201
— <i>puncticosta</i> , <i>Walk.</i>	148	<i>Tetragnatha argentata</i> , <i>Camb.</i>	392
— <i>rufifrons</i> , <i>Walk.</i>	145	— <i>Ceylonica</i> , <i>Camb.</i>	394
— <i>simplex</i> , <i>Walk.</i>	144	— <i>culta</i> , <i>Camb.</i>	390
— <i>spatiosa</i> , <i>Walk.</i>	157	— <i>decorata</i> , <i>Bl.</i>	389
— <i>specularis</i> , <i>Walk.</i>	145	<i>Tetragonosoma atropurpureum</i> , <i>Cantor</i>	37
— <i>splendida</i> , <i>Guér.</i>	152	<i>Tetraonyx Lessoni</i> , <i>D. et B.</i>	17
— <i>subapicalis</i> , <i>Walk.</i>	153	<i>Tettigonia albidula</i> , <i>Walk.</i>	305
— <i>subatomaria</i> , <i>Walk.</i>	143	— <i>guttivitta</i> , <i>Walk.</i>	301
— <i>trinotata</i> , <i>Walk.</i>	152	— <i>igniceps</i> , <i>Walk.</i>	304
— <i>varia</i> , <i>Walk.</i>	155	— <i>inconspicua</i> , <i>Walk.</i>	303
— <i>villica</i> , <i>Stål</i>	152	— <i>leucopasa</i> , <i>Walk.</i>	304
— <i>viridicollis</i> , <i>Walk.</i>	156	— <i>maculicollis</i> , <i>Walk.</i>	302
<i>Riopa albo-punctata</i> , <i>Gray</i>	26	— <i>ruficosta</i> , <i>Walk.</i>	302
— <i>anguina</i> , <i>Theobald</i>	27	— <i>scutellaris</i> , <i>Walk.</i>	303
<i>Salcus</i> , <i>Pasc.</i>	447	— <i>testacea</i> , <i>Walk.</i>	304
— <i>globosus</i> , <i>Pasc.</i>	448	— <i>tripunctata</i> , <i>Walk.</i>	303
<i>Sarantus Wallacci</i> , <i>Stål</i>	193	— <i>vittifrons</i> , <i>Walk.</i>	302
<i>Salticus blandus</i> , <i>Bl.</i>	412	<i>Theobald</i> , W., jun. Catalogue of the Reptiles of British Birma, embracing the provinces of Pegu, Martaban, and Tennasserim, with descriptions of new or little-known species	4
— <i>brevis</i> , <i>Bl.</i>	410	<i>Theridion albomaculosum</i> , <i>Camb.</i>	386
— <i>exilis</i> , <i>Bl.</i>	411	— <i>annulipes</i> , <i>Camb.</i>	384
— <i>intentus</i> , <i>Bl.</i>	413	— <i>concinnum</i> , <i>Bl.</i>	424
— <i>obnixus</i> , <i>Bl.</i>	414	— <i>convexum</i> , <i>Bl.</i>	426
<i>Saunders</i> , Ed. Descriptions of ten new species of the genus <i>Paraucupta</i> , and of ten new species of the genus <i>Conognatha</i>	331	— <i>delicatum</i> , <i>Bl.</i>	428
<i>Selenocephalus marmoratus</i> , <i>Walk.</i>	325	— <i>lævigatum</i> , <i>Bl.</i>	425
— <i>notulus</i> , <i>Walk.</i>	326	— <i>luteipes</i> , <i>Camb.</i>	382
<i>Senira bicolor</i> , <i>Gray</i>	27	— <i>prominens</i> , <i>Bl.</i>	427
<i>Serida fervens</i> , <i>Walk.</i>	183	— <i>spiniventre</i> , <i>Camb.</i>	384
— <i>proxima</i> , <i>Walk.</i>	183	— <i>tepidariorum</i> , <i>Kock</i>	382
<i>Setodes unicolor</i> , <i>M.L.</i>	203	<i>Thetisella</i> , <i>Baird</i>	247
<i>Simotes amabilis</i> , <i>Günther</i>	41, 49	— <i>flava</i> , <i>Baird</i>	248
— <i>bicatenatus</i> , <i>Günther</i>	40		
— <i>cruentatus</i> , <i>Theobald</i>	41		
— <i>Theobaldi</i> , <i>Günther</i>	42, 49		
<i>Sophonia</i> , <i>Walk.</i>	327		
— <i>rufitelum</i> , <i>Walk.</i>	327		
<i>Sphasus italicus</i> , <i>Walck.</i>	409		
Spiders, Rev. O. P. Cambridge,			

	Page		Page
<i>Thotissella oliyacea</i> , Baird	249	<i>Trimesurus erythrurus</i> , Cantor	64
<i>Thlaosoma</i> , Camb.	271	— <i>gramineus</i> , Shaw	64
— <i>distinctum</i> , Camb.	272	— <i>porphyraceus</i> , Blyth	64
— <i>dubium</i> , Camb.	274	<i>Trionyx gangeticus</i> , Cuv.	18
<i>Thomisus amœnus</i> , Bl.	415	— <i>Phayrei</i> , Theobald	18
— <i>elegans</i> , Bl.	419	<i>Tropidonotus angusticeps</i> , Blyth	47
— <i>exiguus</i> , Bl.	416	— <i>nigrocinctus</i> , Blyth	48
— <i>modestus</i> , Bl.	418	— <i>punctulatus</i> , Günther	48, 49
<i>Thracia abrupta</i> , Walk.	137	— <i>quincunciatus</i> , Schl.	46
— <i>abscissa</i> , Walk.	140	— <i>stolatus</i> , L.	47
— <i>albida</i> , Walk.	140	— <i>striolatus</i> , Blyth	47
— <i>albipes</i> , Walk.	141	— <i>subminiatus</i> , Rein.	47
— <i>anticalis</i> , Walk.	136	<i>Tropidophorus Berdmorci</i> , Blyth	24
— <i>basalis</i> , Walk.	135	<i>Tyora</i> , Walk.	330
— <i>costalis</i> , Walk.	136	— <i>congrua</i> , Walk.	330
— <i>cumulata</i> , Walk.	139	<i>Typhlops Braminus</i> , Daud.	36
— <i>dorsalis</i> , Walk.	137	— <i>Horsfieldii</i> , Gray	36
— <i>ephemeralis</i> , Walk.	134	<i>Tytleria hypsirrhinoides</i> , Theobald	49
— <i>fasciata</i> , Walk.	139	<i>Ulasia magica</i> , Stål	99
— <i>fuscipennis</i> , Walk.	140	— <i>reversa</i> , Walk.	99
— <i>limnobia</i> , Walk.	134	— <i>Saundersii</i> , Stål	99
— <i>nervosa</i> , Walk.	135	<i>Varanus draconæna</i> , L.	22
— <i>nivifera</i> , Walk.	137	— <i>flavescens</i> , Gray	23
— <i>punctipennis</i> , Walk.	138	— <i>nebulosus</i> , Gray	22
— <i>ruffinis</i> , Walk.	138	<i>Veleda gilva</i> , Bl.	422
— <i>scutellaris</i> , Walk.	135	<i>Walker</i> , F. Catalogue of the Ho-	
— <i>sexnotata</i> , Walk.	139	— <i>mopterous</i> insects collected in	
<i>Tiaris suberistata</i> , Blyth	34	— <i>the Indian Archipelago</i> by A. R.	
<i>Tiliqua multicarinata</i> , Kuhl.	26	— <i>Wallace</i> , with descriptions of	
— <i>rufescens</i> , Shaw	25	— <i>new species</i>	82, 276
<i>Tosena fasciata</i> , Amyot et Serv.	84	<i>Wilson</i> , C. A. Notes on <i>Moloch</i>	
<i>Tradopia</i> , Baird	355	— <i>horridus</i>	69
— <i>maculata</i> , Baird	355	<i>Xenelaphis hexahonotus</i> , Cantor	46
<i>Tragops fronticinctus</i> , Günther	52	<i>Xenochrophis cerasogaster</i> , Cantor	50
— <i>javanicus</i> , Steindachner	49, 53	<i>Xenopeltis unicolor</i> , Rein.	31
— <i>prasinus</i> , Rein.	52	<i>Zamenis fasciolatus</i> , Shaw	46
<i>Trichopterous</i> Insects from New		<i>Zephyryne</i> , Pasc.	471
— <i>Zealand</i> , on some new forms of,		— <i>sordida</i> , Pasc.	472
— <i>with a list of the species known</i>		<i>Ziphius Sowerbiensis</i> , W. Andrews	
— <i>to inhabit those colonies</i> , by R.		— <i>on</i>	67
— <i>M' Lachlan</i>	196	<i>Zothea meridionalis</i>	243
<i>Triecphora antica</i> , Walk.	289	<i>Zyrcosa</i> , Pasc.	438
— <i>rufa</i> , Walk.	289	— <i>Murrayi</i> , Pasc.	439
<i>Trimen</i> , Roland. On the occurrence			
— <i>of Astraptor illuminator</i> , or a			
— <i>closely allied insect</i> , near Buenos			
— <i>Ayres</i>	503		
<i>Trimesurus carinatus</i> , Gray	63		

END OF THE TENTH VOLUME.